

<b>TEST REPORT</b>		BOYER Marc	<b>Date</b>		11-déc-06
<b>MANUFACTORY</b>	AXIS PARA	<b>MODEL</b>	VEGA	<b>SIZE</b>	S
<b>Procédure</b>	Poids min	<b>Weight in flight</b>	70 kg		
<b>HARNAIS</b>	SUP AIR	<b>TYPE</b>	abs	VENTRAL	42 cm

### Measurements and possible ranges

- |                              |                                  |   |
|------------------------------|----------------------------------|---|
| 1 Rising behaviour           | Smooth, easy and constant rising | A |
| 2 Special take off technique | No                               | A |

### Measurements and possible ranges in the landing test

- |                                    |    |   |
|------------------------------------|----|---|
| Special landing technique required | No | A |
|------------------------------------|----|---|

### Measurements and possible ranges in the speeds in straight flight test

- |  |                   |   |
|--|-------------------|---|
| Measurement and ranges                               |                   |   |
| 1 Trim speed more than 30 km/h                       | Yes               | A |
| 2 Speed range using the controls larger than 10 km/h | Yes               | A |
| 3 Minimum speed                                      | Less than 25 km/h | A |

### Classification of a paraglider's behaviour in the control movement test

- |               |                     |                              |   |
|---------------|---------------------|------------------------------|---|
| Max weight in | up to 80 kg         | increasing greater than 55cm | A |
| Max weight in | 80 to 100 kg        |                              |   |
| Max weight in | greater than 100 kg |                              |   |

### Classification of a paraglider's behaviour in the pitch stability exiting accelerated flight test

- |                              |                            |   |
|------------------------------|----------------------------|---|
| 1 Dive forward angle on exit | Dive forward less than 30° | A |
| 2 Collapse occurs            | No                         | A |

### Classification of a paraglider's behaviour in the pitch stability operating controls during accelerated flight test

- |                 |    |   |
|-----------------|----|---|
| Collapse occurs | No | A |
|-----------------|----|---|

### Classification of a paraglider's behaviour in the roll stability and damping test

- |              |          |   |
|--------------|----------|---|
| Oscillations | Reducing | A |
|--------------|----------|---|

### Classification of a paraglider's behaviour in the stability in gentle spirals test

- |                                       |                  |   |
|---------------------------------------|------------------|---|
| Tendency to return to straight flight | Spontaneous exit | A |
|---------------------------------------|------------------|---|

### Classification of a paraglider's behaviour in the behaviour in a steeply banked turn test

- |                           |              |   |
|---------------------------|--------------|---|
| Sink rate after two turns | up to 12 m/s | A |
|---------------------------|--------------|---|

### Classification of a paraglider's behaviour in the symmetric front collapse test

- |                            |                                       |   |
|----------------------------|---------------------------------------|---|
| Entry                      | Rocking back less than 45°            | A |
| Recovery                   | Spontaneous in less than 3 s          | A |
| Dive forward angle on exit | Dive forward 0° to 30° Keeping course | A |
| Cascade occurs             | No                                    | A |

### Classification of a paraglider's behaviour in the symmetric front collapse test accelerated

Entry	Rocking back less than 45°	A
Recovery	Spontaneous in less than 3 s	A
Dive forward angle on exit	Dive forward 30° to 60° Keeping course	B
Cascade occurs	No	A

**Classification of a paraglider's behaviour in the exiting deep stall (parachutal stall) test**

1 Deep stall achieved	No	A
2 Recovery	Spontaneous in less than 3 s	A
3 Dive forward angle on exit	Dive forward 0° to 30°	A
4 Change of course	Changing course less than 45°	A
5 Cascade	No	A

**Classification of a paraglider's behaviour in the high angle of attack recovery test**

1 Recovery	Spontaneous in less than 3s	A
2 Cascade	No	A

**Classification of a paraglider's behaviour in the full stall test**

1 Dive forward angle on exit	Dive forward 0 et 30°	A
2 Collapse	No collapse	A
3 Cascade occurs (other than collapses)	No	A
4 Rocking back	Less than 45°	A
5 Line tension	Most lines tight	A

**Classification of a paraglider's behaviour in the asymmetric collapse test to 50%**

Change of course until re-inflation	Less then 90° Dive or roll angle 0° to 15°	A
Re-inflation behaviour	Spontaneous re-inflation	A
Total change of course	Less than 360°	A
Collapse on the opposite side occurs	No	A
Twist occurs	No	A
Cascade occurs	No	A

**Classification of a paraglider's behaviour in the asymmetric collapse test to 50% full speed**

Change of course until re-inflation	Less then 90° Dive or roll angle 15° to 45°	A
Re-inflation behaviour	Spontaneous re-inflation	A
Total change of course	Less than 360°	A

Collapse on the opposite side occurs	No	A
Twist occurs	No	A
Cascade occurs	No	A

#### **Classification of a paraglider's behaviour in the asymmetric collapse test 75%**

Change of course until re-inflation	90° to 180° Dive or roll angle 0° to 15°	A
Re-inflation behaviour	Spontaneous re-inflation	A
Total change of course	Less than 360°	A
Collapse on the opposite side occurs	No	A
Twist occurs	No	A
Cascade occurs	No	A

#### **Classification of a paraglider's behaviour in the asymmetric collapse test 75% full speed**

Change of course until re-inflation	90° to 180° Dive or roll angle 15° to 45°	B
Re-inflation behaviour	Spontaneous re-inflation	A
Total change of course	Less than 360°	A
Collapse on the opposite side occurs	No	A
Twist occurs	No	A
Cascade occurs	No	A

#### **Measurements and possible ranges in the directional control with a maintained asymmetric collapse test**

1 Able to keep course	Yes	A
2 180° turn away from the collapsed side possible in 10 s	Yes	A
3 Amount of control range between turn and stall or spin	More than 50 % of the symmetric control travel	A

#### **Measurements and possible ranges in the trim speed spin tendency test**

Spin occurs	No	A
-------------	----	---

#### **Measurements and possible ranges in the low speed spin tendency test**

Spin occurs	No	A
-------------	----	---

#### **Classification of a paraglider's behaviour in the recovery from a developed spin test**

1 Spin rotation angle after release	Stops spinning in less than 90°	A
2 Cascade	No	A

#### **Classification of a paraglider's behaviour in the B-line stall test**

1 Change of course before release	Changing course less than 45°	A
2 Behaviour before release		

3 Recovery	Remains stable with straight span	A
4 Dive forward angle on exit	Spontaneous in less than 3 s	A
5 Cascade occurs	Dive forward 0° to 30°	A
	No	A

**Classification of a paraglider's behaviour in the big ears test**

1 Entry procedure	Dedicated controls	A
2 Behaviour during big ears	Stable flight	A
3 Recovery	Spontaneous in less than 3 s	A
4 Dive forward angle on exit	Dive forward 0° to 30°	A

**Classification of a paraglider's behaviour in the big ears in accelerated flight test**

1 Entry procedure	Dedicated controls	A
2 Behaviour during big ears	Stable flight	A
3 Recovery	Spontaneous in less than 3 s	A
4 Dive forward angle on exit	Dive forward 0° to 30°	A
5 Behaviour immediately after releasing the accelerator while maintaining big ears	Stable flight	A

**Classification of a paraglider's behaviour in the behaviour exiting a steep spiral test**

1 Tendency to return to straight flight	Spontaneous exit	A
2 Turn angle to recover normal flight	Less than 720°, spontaneous recovery	A

**Classification of a paraglider's behaviour in the alternative means of directional control test**

1 180° turn achievable in 20 s	Yes	A
2 Stall or spin occurs	No	A

**Classification of a paraglider's behaviour when testing any other flight procedure and/or**

1 Procedure works as described		
2 Procedure suitable for novice pilots		
3 Cascade		